



Certificate of Analysis

Product Name: **Boron Glycinate**
PureBulk Batch Number: **Varies**
Batch Manufacture Date: **Varies**
Retest Date: **Varies**

Test Results Obtained by PureBulk

ITEMS	SPECIFICATIONS	RESULTS
Boron (B) (ICP-MS)	Report Only	1.23%
L-Glycine (HPLC)	Report Only	88.01%
Mercury (ICP-MS)	≤0.1 ppm	<0.00500 ppm
Cadmium (ICP-MS)	≤1 ppm	<0.00500 ppm
Lead (ICP-MS)	≤3 ppm	<0.00500 ppm
Arsenic (ICP-MS)	≤1 ppm	<0.0100 ppm
Total Plate Count	≤1000 cfu/g	<20 cfu/g
Yeast & Mold	≤100 cfu/g	<20 cfu/g
Coliforms	≤100 cfu/g	<20 cfu/g
E.Coli	Negative	Absent
Salmonella	Negative	Absent
Staphylococcus aureus	Negative	Absent
Pseudo. <i>Aeruginosa</i>	Negative	Absent

Starting Materials: Boron Glycinate 12% **Varies**
Glycine **Varies**

Certificate of Analysis are available upon request for each these materials.

Additional Information: Allergen-Free || BSE-TSE || Gluten Free

GMO Statement: Non-GMO

Storage Conditions: **Keep in sealed container and under 25°C.**
Keep away from strong light, heat and moisture.

Purebulk.Inc verifies that the information contained herein is true and correct to the best of our knowledge.

Verified By: Candace Gibson / Ann Foote

(This document was produced electronically and is valid without signature.)